

## Antibacterial Activity of Hydro Alcoholic Extracts of *Borago officinalis*

Mozhan Vafaei; Seyyed Mansour Seyyed Nejad\*; Seyyedeh Elham Reza Tofighi; Ameneh Bakhtiari;  
Jamil Vaezi

Department of Biology, Faculty of Science, Shahid Chamran University, Ahvaz, Iran

mojan.vafaei@gmail.com

**Background & Objectives:** *Borago officinalis* is an annual herb naturalized throughout the Mediterranean region, as well as Asia Minor, Europe, North Africa, and South America. It grows to a height of 60–100 cm (2.0–3.3 ft), and is bristly or hairy all over the stems and leaves; the leaves are alternate, simple, and 5–15 cm (2.0–5.9 in) long. The flowers are complete, perfect with five narrow, triangular-pointed petals. Flowers are most often blue in color, although pink flowers are sometimes observed. This study was designed to examine in vitro anti-bacterial potential of methanolic and ethanolic extract of *B.officinalis*.

**Methods:** The inhibitory effect of methanolic and ethanolic extract of *B.officinalis* was tested against 3 Gram positive: *Bacillus cereus*, *Staphylococcus aureus* and *Staphylococcus epidermidis* and 5 Gram negative: *Salmonella typhi*, *Klebsiella pneumonia*, *Escherichia coli*, *Pseudomonas aeruginosa*, and *Proteus mirabilis* ATCC bacterial species by disc diffusion methods at various concentrations from 600 mg/ml to 50 mg/ml. The viability of bacterial species was analyzed by susceptibility test (minimum inhibitory concentration and minimum bactericidal concentration).

**Results:** The extract of *B.officinalis* was active against: *Bacillus cereus*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Escherichia coli*. The zone of inhibition for these bacterial species for methanolic extract was 8, 10, 19, 6mm. and about ethanolic extract was 8, 12, 20, 12mm. MIC and MBC for *Staphylococcus aureus* and *Staphylococcus epidermidis* for methanolic extract were 80mg/ml-160mg/ml and 80mg/ml-160mg/ml respectively.

**Conclusion:** This extract can be used as antibacterial substance against some bacterial species such as *Staphylococcus aureus* and *Staphylococcus epidermidis*.

**Keywords:** *Borago officinalis*; Disk Diffusion Methods; Antibacterial Activity